



**File Name:** canon hf11 service manual.pdf

**Size:** 3454 KB

**Type:** PDF, ePub, eBook

**Category:** Book

**Uploaded:** 19 May 2019, 17:14 PM

**Rating:** 4.6/5 from 812 votes.

**Status:** AVAILABLE

Last checked: 18 Minutes ago!

**In order to read or download canon hf11 service manual ebook, you need to create a FREE account.**

[\*\*Download Now!\*\*](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon hf11 service manual . To get started finding canon hf11 service manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# canon hf11 service manual

And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Canon Vixia Hf11 Service Manual. To get started finding Canon Vixia Hf11 Service Manual, you are right to find our website which has a comprehensive collection of manuals listed. Our library is the biggest of these that have literally hundreds of thousands of different products represented. I get my most wanted eBook Many thanks If there is a survey it only takes 5 minutes, try any survey which works for you. If such changes or modifications should be made, you could be required to stop operation of the equipment. Canon U.S.A. Inc. One Canon Plaza, Lake Success, NY 11042, U.S.A. Tel No. 5163285600 CAUTION TO PREVENT ELECTRIC SHOCK, MATCH WIDE BLADE OF PLUG TO WIDE SLOT, FULLY INSERT. Read Instructions — All the safety and operating instructions should be read before the product is operated. When replacement of the power supply is required, please return it to the responsible nearest Canon Service Center and please replace it with the same type number CA570. The Adapter can be used with a power supply between 100 and 240 V AC. For areas where 120 V AC power is not used, you will need a special plug adapter. More than twice the number of scanning lines. "Full HD 1080" refers to Canon camcorders compliant with highdefinition video composed of 1,080 vertical pixels scanning lines. Video is recorded at this resolution only in MXP or FXP mode. In other recording modes, the picture is resized to 1,440 x 1,080 pixels before being recorded. Your videos and photos are recorded in the builtin memory or on a memory card SD or SDHC card using AVCHD specifications are no moving parts in the recorder unit of the camcorder. To you, it means a camcorder that is smaller, lighter and faster. Menu Setup Menus Camera Setup Digital Zoom, Image Stabilizer, etc. Memory Operations Initialization, etc. Display Setup LCD Brightness, Language, etc. <http://www.games4bridalshowers.com/userfiles/hymer-s660-manual.xml>

- **canon hf11 service manual, canon hf11 service manual pdf, canon hf11 service manual download, canon hf11 service manual free, canon hf11 service manual online.**

System Setup Speaker Volume, Beep, etc. Please read this manual carefully before you use the camcorder and retain it for future reference. INFO button Speaker CARD OPEN switch open the memory card slot cover Memory card slot COMPONENT OUT terminal Mode dial HDMI OUT terminal . Memory operation Record, Record pause, Playback, Playback pause, Fast playback, Fast reverse playback, Slow playback,. Getting Started Charging the Battery Pack The camcorder can be powered with a battery pack or directly using the compact power adapter. Press the tab in the direction of the arrow and pull out the battery holder. Insert the battery holder. You can also remove the grip belt and attach the shoulder strap directly to the rear bracket on the camcorder. Less than 0.01% of the pixels may occasionally misfire or appear as black, red, blue or green dots. This has no effect on the recorded image and does not constitute a malfunction. You can access the menus and change settings to your preference. Even in flexible recording mode, the camcorder can help you with the settings. For example, you can use the Special Scene recording programs to set at once all the optimal settings to match special recording. Push the joystick up, down, left or right to select an item or change settings. Press the joystick itself to save the settings or confirm an action. On menu screens, this is indicated by the icon The joystick can also be used in combination with the joystick guide to. Menu Option FUNC. Press Select the icon of the function you want to change. Menu items not available will appear grayed out. Select the desired setting from the available options at the bottom bar. Abbreviation of Menu Selections in this Manual In this manual, the arrow is used to abbreviate menu selections. Turn off the camcorder. Open the LCD panel. CARD OPEN Slide toward

the right to open the memory card slot cover. Inserting a memory card facing the wrong direction can cause a malfunction of the camcorder. [http://www.broadviewlibrary.org/uploaded\\_bvlib/hymer-s555-manual.xml](http://www.broadviewlibrary.org/uploaded_bvlib/hymer-s555-manual.xml)

**Selecting the Memory for the Recordings** You can select to record your movies and still images in the builtin memory or on the memory card. All recordings will be erased and the memory can be used without any problem. **Basic Recording Shooting Video** Set the mode dial to Turn on the camcorder. Changing the recording mode will change the recording time available on the memory. Select MXP or FXP mode for better movie quality; select LP mode for longer recording times. The following table gives approximate recording times. **W** Zoom out **T** Zoom in **12x** Optical Zoom Move the zoom lever toward **W** to zoom out wide angle. Move it toward **T** to zoom in telephoto. Press gently for a slow zoom;. Within less than 1 second, the indicator will return to green and the camcorder will be ready to record. **IMPORTANT** Do not disconnect the power source during standby mode while the indicator is lit in orange. The scene index screen appears after a few seconds. Move the selection frame to the scene you want to play back. When you have recorded a large number of scenes, press to move between index screen pages. **ADJUSTING THE VOLUME** 1 If the joystick guide does not appear on screen, press display it. 2 Adjust the volume. You can select the original movies in the builtin memory or on the memory card. Press to begin the playback. **O SELECT ANOTHER SCENE** Move the orange selection. Use faster shutter speeds to record subjects moving quickly; use slower shutter speeds to add motion blur, emphasizing the feel of movement. For details about attaching and using the video light, refer to the instruction manual of the VL5. To correct this, you can manually adjust the exposure or use the automatic backlight correction. Use this setting for outdoor scenes. **Image Effects** You can use the image effects to change the color saturation and contrast to record images with special color effects. The manual adjustment icon appear to the left of the audio level indicator and the manual adjustment.

Before connecting the headphones, follow the procedure below to change the function of the terminal from AV output to. For details, refer to the instruction manual of the microphone. When a compatible accessory is attached to the mini advanced shoe, will appear on the screen. Moving or deleting scenes in the playlist will not affect the original recordings. **Moving Scenes in the Playlist** Move the scenes in the playlist to play them back in the order of your choice. Refer to To select which scenes to play back Select the scene you want to copy to the memory card, or a scene recorded on the date you want to copy. **Basic Recording Taking Photos** Set the mode dial to Turn on the camcorder. You can select the memory to be used for recording still images 33. While reviewing the image immediately after recording Push the joystick toward. The flash features the redeye reduction function. **Options auto** The flash fires automatically according to the brightness of the subject. **redeye reduction, auto** The flash fires automatically according to the brightness of the subject. **Drive Mode Continuous Shooting and Exposure Bracketing** Take a series of pictures of a moving subject or record the same picture in 3 levels of exposure in order to choose later the picture you like the best. **PHOTO 2** Press fully and hold it pressed down. A series of still images will be recorded as long as you hold the button pressed. **XPOSURE RACKETING PHOTO** Press, first halfway to. **O CAPTURE THE STILL IMAGE** 1 Play back the scene containing the picture you want to capture. Move the zoom lever toward **W**. The still image index screen appears. Select the memory from which you want to copy the still images. When using Canon printers you can print the same still image multiple times on the same sheet of paper. After a short while, turn on the camcorder and restore the USB connection. Connect the camcorder to the printer using the supplied USB cable. **Connection.** Refer to Connection Diagrams 80.

Connections that require cables or accessories not supplied with the camcorder are marked with an asterisk; prepare the necessary equipment in advance. Playback on an HDTV using one of the highdefinition connections will ensure the best playback quality. Turn off the camcorder and the TV.

Connect the camcorder to the TV. Because space on the memory is limited, make sure to back up your movies onto a computer on a regular basis. This is very convenient, for example to play back your discs even in a location where an AVCHD-compatible DVD player is not available. Refer to Connection Diagrams 80. Recording External device Load a blank cassette or disc and set the device to record pause mode. Camcorder Locate the scene you wish to copy and pause playback shortly before the scene. IRST TIME CONNECTION TO A COMPUTER RUNNING INDOVS Windows users only The first time you connect the camcorder to the computer, you need also to select the CameraWindow autolaunch setting. You can set transfer orders for up to 998 still images. Selecting Still Images to Transfer Transfer Order Set the transfer orders before connecting the camcorder to the computer. Appendix Menu Options Lists Menu items not available appear grayed out in the FUNC.For details about how to select an item, refer to Using the Menus 27. The focus assist function will be cancelled when you start recording. Consult your dealer or a Canon Service Center if the problem persists.Buy a new battery pack.Consult a Canon Service Center. The CHG charge indicator flashes rapidly. one flash at 0.5second intervals Charging has stopped because the compact power adapter or the battery pack is faulty. Consult a Canon Service Center. The CHG charge indicator flashes very slowly. Horizontal bands appear on the screen. This is a phenomenon typical of CMOS image sensors when recording under some types of fluorescent, mercury or sodium lamps.

The camcorder is connected using the optional HTC100 HDMI Cable, but there is no picture or sound from the HDTV. CANNOT COMMUNICATE WITH THE BATTERY PACK CONTINUE USING THIS BATTERY PACK You attached a battery pack that is not recommended by Canon for use with this camcorder. CANNOT COPY The total size of the scenes you selected to copy exceeds the available space on the memory card. Delete. Replace the memory card with one rated Speed Class 2 or higher. NAMING ERROR The folder and file numbers have reached their maximum value. If a dialog appeared on the computer screen, close it and then reconnect the USB cable. Wait until the DVD burner dries completely before resuming use. NO IMAGES There are no still images to add to the disc. NO SCENES There are no movies to add to the disc. Consult a Canon Service Center refer to the list included with the printer to replace the ink absorber. INK ERROR There is a problem with the ink. Be careful when closing the LCD panel. Take the necessary precautions when you dispose of the camcorder or memory card, for example by physically damaging it to prevent the leakage of private data. Consult a Canon Service Center for information on plug adapters for overseas use. Playback on a TV Screen. Accessories that are compatible with the Advanced Accessory Shoe cannot be attached to this camcorder. This product is designed to achieve excellent performance when used with genuine Canon accessories.The effective usage time of the battery pack may decrease when recording in cold surroundings, when using the brighter screen settings, etc. This mark identifies genuine Canon video accessories. When you use Canon video equipment, we recommend Canonbrand accessories or products bearing the same mark. Exif Print is a standard for enhancing the communication between camcorders and printers.

By connecting to an Exif Print-compliant printer, the camcorder's image data at the time of shooting is used and optimized, yielding extremely high quality prints. Errors and omissions excepted. Subject to change without notice. The information in this manual is verified as of September 2008. This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file.Access your account, or create a new account, click here to get started. The driver may be included in your OS or you may not need a driver. Recommended Drivers File Name Date File Size Optional Drivers File Name Date File Size Recommended Software File Name Date File Size Optional Software File Name Date File Size Recommended Manuals File Name Date File Size Optional Manuals File Name Date File Size This limited warranty is only effective upon presentation of your Bill of Sale or other proof of purchase. The Equipment is warranted under normal, noncommercial, personal use, against defective materials or workmanship as follows Parts Defective

parts will be exchanged for new parts or comparable rebuilt parts for a period of ONE YEAR from the date of original purchase, except for a defective Video Head, which will be exchanged for a period of three months from the date of purchase. Labor For a period of ONE YEAR from the date of original purchase, labor will be provided free of charge by our factory service centers or designated service facilities located in the United States. When returning Equipment under this warranty, you must prepay the shipping charges, and you must enclose the Bill of Sale or other proof of purchase with a complete explanation of the problem. During the ONEYEAR warranty period, repairs will be made and the Equipment will be returnshipped to you free of charge.

For repairs after the warranty period is over, you will be given an estimate of the cost of repair and an opportunity to approve or disapprove of the repair expense before it is incurred. If you approve, repairs will be made and the Equipment will be returnshipped to you. shipping charges apply. If you disapprove, we will returnship the equipment at no charge to you. Canon brand peripheral equipment and software which may be distributed with, or factory loaded on, the Equipment, are sold AS IS without warranty of any kind by Canon USA, including any implied warranty regarding merchantability or fitness for a particular purpose. The sole warranty with respect to such nonCanon brand items is given by the manufacturer or producer thereof. If the Equipment contains a hard disk drive, Canon USA recommends that data stored on that drive be duplicated or backed up to prevent its loss in the event of failure or other malfunction of such drive. Canon USA shall have no responsibility under this limited warranty for use of the Equipment in conjunction with incompatible peripheral equipment and incompatible software. In order to obtain warranty service, contact the authorized Canon retail dealer from whom you purchased the Equipment or call the CANON INFORMATION CENTER AT 1 — 800OKCANON. You will be directed to the nearest service facility for your Equipment.

This Limited Warranty covers all defects encountered in normal use of the Equipment and does not apply in the following cases Loss or damage to the Equipment due to abuse, mishandling, accident, improper maintenance, or failure to follow operating instructions; If the Equipment is defective as a result of leaking batteries, sand, dirt or water damage; If defects or damages are caused by the use of unauthorized parts or by service other than by Canon USAs factory service centers or authorized service facilities; This Limited Warranty does not cover cabinet exterior finish, video cassette tape, head cleanings, nor does it apply to Equipment purchased outside the United States. This warranty does not cover units sold to rental firms, military operations, hotels, schools, hospitals or for other commercial, industrial, or institutional applications. These uses are covered only by such specific warranty as Canon may issue with such sales. This Limited Warranty does not apply to accessories or consumables for the Equipment, which are sold "AS IS", without warranty of any kind by Canon USA. Please retain this warranty card and your Bill of Sale as a permanent record of your purchase. This card is most important in order to be sure you are contacted right away should there be a safety inspection, modification or product recall under applicable laws or regulations. For other recording formats, a Class 2 or higher card is recommended. Also, movie recording requires cards with 128 MB of memory or more. Cards made by Toshiba, SanDisk or Matsushita are recommended. No particular restrictions apply for still images. Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store This allows for uninterrupted recording of your special events and keeps your batteries ready to go. Now, its easier than ever to transfer and backup footage from your camcorder onto DVDs with the Canon DW100 DVD Burner.

Created to provide data backup for Canon Hard Disk Drive and Flash Memory camcorders, the DW100 allows you to connect to a compatible Canon camcorder to download video and burn AVCHD or Standard Definition DVDs. The DW100 will also play back the AVCHD discs created in the burner on an HDTV monitor through your VIXIA High Definition Flash or Hard Disk Drive camcorder. Now,

its easier than ever to transfer and backup footage from your camcorder onto DVDs with the Canon DW100 DVD Burner. The DW100 will also play back the AVCHD discs created in the burner on an HDTV monitor through your VIXIA High Definition Flash or Hard Disk Drive camcorder. This case can be conveniently carried by hand or via the comfortable shoulder strap, providing convenient handsfree protection. Using the Canon VL5 Video Light on the VIXIA HF10 and VIXIA HF100 camcorders requires a firmware update. With a CarePAK PLUS, a damaged product will be repaired to good working condition or replaced with an equivalent product. With a CarePAK PLUS, a damaged product will be repaired to good working condition or replaced with an equivalent product. Note Please use Adobe Reader 6.0 or later to browse this PDF file. You may download and use the Content solely for your personal, noncommercial use and at your own risks. Canon shall not be held liable for any damages whatsoever in connection with the Content, including, without limitation, indirect, consequential, exemplary or incidental damages. You shall also not and shall not let others reproduce, modify, reformat or create derivative works from the Content, in whole or in part. Get or buy it. Can you help me Login to post It cant access the built in memory and is basically frozen trying to access this. None of the controls work. Is there a way or resetting the whole camera Sometimes, broken paper feeder indicates the same way.

I recommend you to bring your printer to the nearest service center unless you are quit familiar with assembly and reassembly of this printer. Source Printer Clinic Download Instant Manual So when I try to film and look at something, it is. However, its not a user serviceable problem and will need to be repaired by a qualified service technician. My name is Rick and Im a professional repair technician with over 20 years in the business and have repaired many of these. I Please post comments if further you have the same problem. Good Luck!! Thanks Answer questions, earn points and help others. We specialize in this model camera and our Technicians are experts in this particular model. Our efficient, prompt service comes from factory authorized training. Toll free 1.800.503.5529 We will inspect and replace, as necessary, parts such as This includes inspection and replacement as necessary of all common wear items. Glendale, Ca 91201 I received my camera Nikon D80 in perfect working condition after repair. I appreciate the fine people working for them. My canon camera's lens was damaged and thought to myself damn it'll never be the same. But thanks to camcorder repair shop, it works just like new if not better. Fair prices, totally worth it. Had my camera ready in 2 days. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Canon Hf11 Manual. To get started finding Canon Hf11 Manual, you are right to find our website which has a comprehensive collection of manuals listed. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Canon Vixia Hf10 Hf100 Service Repair Manual Download. To get started finding Canon Vixia Hf10 Hf100 Service Repair Manual Download, you are right to find our website which has a comprehensive collection of manuals listed. Please try again. Please try again.

In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Register a free business account Full content visible, double tap to read brief content. Please try your search again later. And, like all Canon VIXIA camcorders, the HF11 features a Canon HD video lens, FULL HD CMOS Sensor, and Canon's exclusive DIGIC DV II image processor. Create the look and feel of Hollywood movies with the HF11's 24p Cinema Mode and even use Canons Photo Grabbing function to capture still images from previously recorded video. If online video posting and sharing interests you, the HF11's 30p mode provides the perfect frame rate for the web and delivers clarity for fastaction subjects. The HF11 offers the unparalleled combination of Canon's exclusive SuperRange Optical Image Stabilizer to stabilize a wide range of movements, Instant AF for accurate focusing that's critical for HD, a builtin video light to easily shoot in dark settings, and a 2.7inch MultiAngle Vivid Widescreen LCD that allows you to view from various angles with true color representation and contrast. The HF11 features the latest HD technology, excellence in Canon optics and engineering in a compact, sleek design to deliver the

high level of performance you've come to expect from Canon. Canon HF11 Highlights Dual Flash Memory Taking Video to the Next Level Canon's breakthrough use of Dual Flash Memory the ability to record to an internal Flash drive as well as a removable SDHC memory card allows consumers to experience a new level of performance, style and flexibility. It boasts a number of advantages and enduser benefits for maximum convenience and flexibility. Since Flash Memory is a solidstate memory format and has no moving parts, the camcorder can be smaller, sleeker, more compact and lighter than ever before, allowing it to be carried anywhere.

Dual Flash Memory allows consumers to record video to the camcorder's internal Flash drive even if they do not have a memory card. When the internal Flash drive becomes full, footage can be easily transferred to a SDHC memory card and when it comes time to view their video, the card is simply popped into a memory card reader in a computer or a compatible HDTV for instant viewing. Furthermore, having a SDHC memory card slot allows for expandability, since greater capacity can be added in the future by purchasing additional cards. Flash Memory is a highly stable method of storage, and as a result, accidental jolts to the camcorder are much less likely to result in failure or data loss. Consumers will also enjoy the camcorders low power consumption, which leads to longer battery time. Compared with other types of storage, Flash Memory camcorders are able to read and write data faster, so users can start recording faster and have immediate access to their recorded scenes. Record Up to 12 hours 15 minutes of High Definition Video on an internal 32 GB Flash drive. The HF11 enables extended high definition videos to be recorded to the internal 32 GB Flash drive or directly to secure digital high capacity SDHC cards. Enjoy the great convenience of taping directly to the drive or the flexibility of convenient, easily interchangeable recording media. Genuine Canon 12x High Definition Video Lens The HF11 comes equipped with a 12x HD Video lens. An aspherical lens is used to help achieve low aberration and high resolution. The lens also features super spectra coating technology which lowers flare and ghosting. A gradation ND system is used for better exposure in bright shooting situations. This lens design creates true HD image quality. RGB Primary Color Filter Whether you're shooting video or photos, you will appreciate the HF11 stunning, highdefinition image production. For rich, accurate color, the HF11 uses an RGB Primary Color Filter.

It separates light into red, green, and blue color components, resulting in vibrant images with naturallooking tones similar to what you'd obtain from 3CCD camcorders. Canon 3.3 Megapixel Full HD CMOS Sensor 1920 x 1080 The HF11 features a newly developed; Canon manufactured HD CMOS Image Sensor. Similar to its use in Canons EOS Series Digital SLR Cameras, the CMOS Sensor reproduces high resolution images as true HD movies. Canons HD CMOS Sensor acquires image information at 1920 x 1080 pixels. Canon's HD CMOS Sensor also features onchip noise reduction technology. This low noise technology feature means that even in dimlylit scenes, the signals from each pixel are as pure as possible, with minimal noise or other aberrations. DIGIC DV II Image Processor DIGIC DV II is the latest generation of Canons exclusive DIGIC DV signal processing technology designed specifically for HD. Thanks to DIGIC DV II image processing, the HF11 produces video with improved color reproduction especially in skin tones, and dark and light scenes. It also uses a hybrid noise reduction system that employs two types of noise reduction for images that are crystal clear. Since video and still images have different color requirements, DIGIC DV II HD digital signal processing ensures optimal image quality for both HD video and still images. 1920 x 1080 Full HD Recording The Canon HF11 not only captures images in Full HD, but records and outputs 1920 x 1080 as well, so you get Full HD from lens to screen. Experience the ultimate in clarity and detail. Instant AF Auto Focus Instant AF is Canon's new and advanced autofocus system required for High Definition. Using a Hybrid Control system, the Instant AF makes it easy to focus on previously difficult subjects. It dramatically decreases the time it takes to achieve proper focus and increases accuracy especially in lowlight and highbrightness situations.

**SuperRange Optical Image Stabilizer** The HF11 features Canon's SuperRange Optical Image Stabilization OIS. Utilizing a Hybrid detection method combining vector and gyro detection method corrects camera shake instantly for steady shots. And unlike other optical stabilization systems, Canon's Super Range OIS covers a wide range of movements while preserving image quality. It is even effective while taking photos.

**24Mbps Recording** Offers the highest bit rate in AVCHD for High Definition video that captures extraordinary lifelike tonal quality and exceptionally fine detail.

**24p Cinema Mode** 24p Cinema Mode is a feature demanded by professional filmmakers and previously, only available on prolevel camcorders. 24p Cinema Mode enables all aspiring movie makers achieve a professional filmlook. This mode is actually two different features, which can be used independently, or together, depending on the user's preference.

1. The captured frame rate changes to 24p the same frame rate as movie film.
2. The HF11 changes the color and tonal characteristics to make you feel like you are watching a movie in the theatre.

**30p Progressive Mode** 30p Progressive mode is a progressive format that is the perfect frame rate for the web because it delivers clarity for fastaction subjects. Plus, it is ideal for displaying crisp images on your home theatre system or computer monitor. Before now 30p was exclusively featured on prolevel camcorders but Canon now offers the widest frame rate options for every videographer.

**Note Records in 60i onto memory card.**

**Mini Advanced Accessory Terminal** The Advanced Accessory Shoe allows the use of additional accessories such as Canon's video light and directional microphone. Compared with Canon's original Advanced Accessory Shoe, the new version is 50% smaller in size.

**Intelligent LithiumIon Battery** The remaining battery time is now indicated down to the minute, so you will never have to guess the recording time available.

- 3.